CATALOGUE

PRODUCT RANGE









miniBars and miniCool refrigerators for hotels and offices.

PAGE 26 - 34

INTRODUCTION

At your Service	4
About Dometic	5
Perfect guest service	8
Product finder	9

DOMETIC COMFORT CLASS

HiPro Line	12
Classic Line	14
Basic Line	18
Food Line	20

DOMETIC ECO CLASS	
Eco Line NTE	24
Eco Line Glass Door	26

DOMETIC SPECIAL CLASS

Drawer miniBars	28
miniCool with freezer	32
Ventilation guidelines	35
Product overview	36

DOMETIC ON THE WEB

Here's where you can find the complete Dometic range, with detailed information about all products. Plus, interesting facts about our company and download links for all our catalogues.

DOMETIC.COM



AT YOUR SERVICE.

Individual, discreet and available at all times, service has many noiseless, without moving parts and vibration, and is very ecofaces, but only one goal: to provide very special all-round comfort. nomical in terms of energy consumption. That brings an efficiency With Dometic's exceptional miniBars, good service becomes even better. They make room for extra comfort and enhance the individual character of the interior.

provides an additional service that always pays off. It also runs available.

benefit as well as additional comfort. Wherever it is used - a miniBar from Dometic is bound to boost sales and customer satisfaction. It caters for the needs of guests without disturbing their privacy, and A miniBar from Dometic never rests. Available 24 hours a day, it provides a service that is discreet in the background but still readily

DISCOVER DOMETIC THE WORLD'S NUMBER ONE FOR MINIBARS

- More than 45 years of experience in the hotel industry
- More than 5 million miniBars installed around the world
- 10 million absorption refrigerators produced, "Made in Germany"
- All products are manufactured in Dometic owned • production plants
- All Dometic production plants are certified according to ISO ٠ 9001 and ISO 14001



- Global customer support in more than 100 countries
- Comprehensive product range: miniBars for all room designs, all requirements and all budgets.
- Research & development, design, production, quality control, after-sales service - everything from a single source

DOMETIC THE SATISFACTION NETWORK

SUCCESS FROM OVER 90 YEARS OF EXPERIENCE

OUR RESPONSIBILITY SUSTAINABLE AND ENVIRONMENTALLY CONSCIOUS

Noiseless absorption cooling technology has been the foundation of our position as the world's leading provider of miniBars and guest fridges. The company's success is based on a unique combination of know-how, state-of-the-art technology, a pioneering spirit and innovative design. Decades of experience and continuous customer feedback has enabled Dometic to perfect the absorption cooling technology. Today, more than 90 years after absorption cooling was invented, Dometic miniBars are still setting the trend when it comes to quality, technology and design. More than 5 million appliances have already been sold – an unrivalled record of success. The "Satisfaction Network" now spans almost 100 countries and provides personal



Dometic absorption refrigerator production factory in Siegen, Germany

equips two hotels with miniBars somewhere in the world.

support to customers and planners on all continents. The German

factory in Siegen is home to the world's largest and most modern

production site for absorption refrigerators. Every day Dometic

At Dometic, thinking and acting ecologically is an all-embracing process that extends to all levels. In addition to the environmentally sustainable production, this also includes special recycling measures and resource saving products, and in particular the design of energy-efficient miniBars. For instance, the Dometic HiPro 3000 is the most economical absorption miniBar in the world. You can be 100% sure that all the applicable regulations, directives and guidelines are fulfilled at Dometic.

Further information can be found at **DOMETIC.COM**





- All Dometic production plants are certified according to ISO 9001 and ISO 14001 as well as the Eco-Management and Audit Scheme
- EMAS-certified company with publication of all environmental results in Dometic Environmental Product Declarations
- All products fulfil the requirements of the European Union's ROHS directive
- All energy consumption labels correspond to the requirements of the Commision Regulation (EC) No. 643/2009 and Commission Regulation (EU) 1060/2010

DOMETIC MINIBARS PERFECT GUEST SERVICE - 24/7

Why should hotels have miniBars?

Just like the lift or the swimming pool, a guest fridge is part of good customer service. Therefore, the guest fridge is a piece in the mosaic of all the services offered by the hotel. In other words, if the hotel owner does not provide a guest fridge in the hotel room, the hotel service suffers. The best way to use the guest fridge in the total comfort package to Hotel guest can vary from one Hotel to another. Being fully stocked for profit optimisation, or with selected products included in the room rate, a flat fee approach for most sold items or an empty guest fridge for people travelling and expecting a guest fridge to store and chill their personal items like medicine, insulin or food. The convincing concept will very much depend on the guest structure of the Hotel.

How does the miniBar become an instant profit centre?

Pricing: if the prices are too high, then the guest will not use the miniBar! The prices in the miniBar should in general not be more expensive than those in the hotel bar.

Product offering: the miniBar selection has to match the type of guests at the hotel and should be clear and not too wide. Some advice: Check what sells well and eliminate "dead ducks".

Positioning the miniBar: the miniBar should not be "hidden away" in the room. The guest should be tempted to consume something from the miniBar just by looking at it. To trigger an impulse buy, a nicely stocked glass door miniBar close to the TV will do its job.

What do I need to consider when purchasing miniBars?

The miniBar has to be silent so that guests can sleep peacefully in the room. But energy consumption, lifetime and support are also important selection criteria. There are various cooling technologies to choose from, but absorption is the best choice for hotel rooms. The HiPro 3000 miniBar by Dometic is the world's most economical absorption miniBar on the market. When buying a miniBar, make sure that the energy consumption of the appliance corresponds to the EU directives 643/2009 and 1060/2010. With Dometic you can be 100% sure that all the applicable requirements are fulfilled.

What do hotel managers need to do to ensure that miniBars meet their expectations?

Pay attention to the right marketing. Leaflets, the website or personal conversations at check-in are the "touch points" to use for promoting the miniBar. Another sales booster could be to offer the guest a sweet or savoury snack from the miniBar free of charge.

Furthermore, a uniform, reasonable pricing model helps - for example, all drinks at the same low price. That is affordable and the guest sees this as fair. Many hotels are now starting to use "allinclusive" offers, i.e. all drinks and snacks are free for the guest and have already been added to the price of the room.



WHAT'S IMPORTANT TO YOU?	LIFE TIME	SILENCE	ENERGY EFFICIENCY	COOLING PERFORMANCE	SUITABLE FOR FOOD STORAGE	PAGE NUMBER
COMFORT CLASS						
HiPro Line	••••	••••			0	12
Classic Line	••••	••••			0	14
Basic Line		••••			0	18
Food Line	••••	••••		•••••	•	20
ECO CLASS						
Eco Line NTE		••••	••••		0	24
Eco Line Glass Door	••••	••••	••000	••000	0	26
SPECIAL CLASS						
Drawer miniBars		••••	•••••		0	28
miniCool with freezers	••••	••••	••000	••••	0	34

PRODUCT FINDER THE FAST WAY TO THE RIGHT PRODUCT

Lifetime

Using moving parts in the cooling system determines the service life time substantially. Absorption and NTE miniBars from Dometic do not use any moving parts at all and are therefore ideal for long use.

Silence

The guest's comfort while sleeping can be disturbed by many things - including a noisy miniBar. Dometic absorption and NTE cooling technology miniBars are completely noiseless (0 dbA).

Energy efficiency

miniBars are operating 24h/7/365 and mostly in more than just one room. That is why energy efficiency plays a major role. Alongside the extremely economical miniBars in the Efficient Class, the HiPro Line miniBars have proven to be the lowest energy consumers amongst absorption miniBars.

Cooling performance

A miniBar should always operate at a stable and desired performance level while working as efficiently and economically as possible. The cooling performance depends on the place of installation, the ventilation as well as on the cooling technology itself.

Suitable for food storage

While miniBars are primarily intended for cooling drinks and snacks, the models from the Food Line also offer the option of storing unpackaged fresh food.

The silent appliances in the Food Line ensure an interior temperature of 4 °C for ambient temperatures of up to 32 °C.





THE COMFORT CLASS BY DOMETIC

QUALITY WITHOUT COMPROMISE NOISELESS // LONGEST LIFETIME // TOP COOLING PERFORMANCE

Comfort at the highest level - versatile, comprehensive, reliable. is nearly twice as long as other appliances not using the absorption With Comfort Class, noiseless cooling comfort becomes reality. cooling technology. Thanks to innovative absorption technology, Dometic miniBars work completely noiseless and maintenance-free. Four distinguished product lines to suit every Hotel and budget category. Elegant in • Fuzzy Logic, the intelligent chip controller for optimised temperature management and the lowest power consumption. You design and layout, these models make room for drinks and snacks, as well as food, to be efficiently cooled to exactly the right temperature. lower your energy costs by 50% and more! Cooling Unit Control (CUC system) offers maximum security with Comfort Class miniBars are the best choice in the long-run, taking ٠ into account their lowest operating cost. They offer great savings sensor-controlled monitoring of the cooling unit. potential for you and protect the environment due to a lifetime which ٠

- Fully-automatic defrosting for maximum comfort



Dometic HiPro has redefined the standards for pioneering miniBar design - the result of over nine decades of consistent development. With the aim of maximum customer satisfaction, we have scrutinised all the requirements of comfort and technology in detail. The result will impress you.

HiPro miniBars are distinctive due to their progressive design and a whole host of innovative technical detail solutions that are so unique that we have grouped them together under the name HiPro technology.

HiPro technology stands for a quality dimension which only Dometic can offer you.



HIPRO LINE
PRODUCT COMPARISON





HIPRO LINE PRODUCT COMPARISON MODEL	HIPRO 3000	HIPRO 4000	HIPRO VISION	HIPRO 6000
Model class (litre)	30	40	40	60
Storage volume (litre)	26	34	34	48
Cabinet colour	Anthracite	Anthracite	Anthracite	Anthracite
Dimensions Built-in version (H x W x D, in mm)	527 x 388 x 418	559 x 405 x 452	559 x 405 x 465	568 x 490 x 475
Can be built-in/integrated	•	•	•	•
Variable sliding hinge	•	•	-	•
Variable door hinge	•	•	•	•
LED interior light	•	•	•	•
Input rating (W)	65	65	65	80
Energy consumption (kWh/24 h)	0,57	0,65	0,74	0,70
Noise level (db[A])	0	0	0	0
Model versions	Basic, Standard	Basic, Standard	Acrylic Glass Door with two shelves	Basic, Standard
Options	 Lock Decorative panel LED door opening control display Infra-red remote control 	 Lock Decorative panel LED door opening control display Infra-red remote control Also available as standalone model* 	 Lock LED door opening control display Infra-red remote control Also available as standalone model* 	 Lock Decorative panel LED door opening control display Infra-red remote control

FEATURES OF THE HIPRO LINE

Every HiPro miniBar contains the best of 90 years of experience. The HiPro 3000 is the lowest energy consuming absorption miniBar in the world!

- Modular system of shelves and door racks
- Lowest energy consumption for noiseless absorption miniBars
- Setup diagnosis via LED
- Sensor-controlled LED interior light •
- LED door opening control display (optional)
- Temperature setting by remote control
- Clip & Click: door hinge can be changed without tools
- Fuzzy Logic Technology
- Automatic Defrost



HIPRO BASIC

- 2 long shelves
- Flat inner door • Integrated door handle

12 - DOMETIC.COM

*Available with rear wall cover and 42 mm feet (+20 mm depth).



HIPRO STANDARD

- 2 short shelves
- Inner door with 2 multifunctional racks (one for large bottles and one for small)
- Inner door in the "bottle body" design for 1.5-litre bottles
- Integrated door handle



innovative and energy-efficient absorption cooling technology, the miniBars ensure silent service and maintenance-free comfort with added value. This is also due to sensor-controlled monitoring of the cooling unit, energy-efficient Fuzzy Logic temperature regulation, automatic defrost and proven Dometic design.



CLASSIC LINE PRODUCT COMPARISON

MODEL

Model class (litre)

Cabinet colour

Sliding hinge

(H x W x D, in mm)

Variable door hinge

LED interior light

Input rating (W)

(kWh/24 h) Noise level (db[A])

Options

Energy consumption

Storage volume (litre)

Dimensions Built-in version

Can be built-in/integrated

RH 423 LDA

•

- 1 door rack for smaller bottles
- bottles

RH 548 LD

- 2 adjustable door racks for bottles (small and large)
- 1 adjustable shelf

immediately. You can save on energy by more than 50% with today's miniBars featuring Fuzzy Logic technology. Just by saving on energy, your new investment

RH 423 LDA

23

23

Anthracite

435 x 422 x 384

•

65

0.70

0

Temperature setting by

Also available as stand-

alone model (FS version)

remote control

Door handle

LED door opening control

•

ARE YOUR MINIBARS MORE THAN 15 YEARS OLD?

If yes, it's worth replacing your appliance will pay for itself within a few years, because old miniBars sometimes consume more than double the energy. Get in touch with us! We will be glad to advise you.

EXAMPLE 1 FH 439 LD / RH 449 LD	RH 548 LD	RH 569 LD
30/40	40	60
25/32	37	58
Anthracite	Anthracite	Anthracite
522 x 380 x 434 (RH 439 LD) 552 x 422 x 439 (RH 449 LD)	554 x 401 x 446	560 x 486 x 484
•	•	•
•	•	•
•	•	•
•	•	•
65	65	75
0.65 / 0.70	0.75	0.76
0	0	0
 LED door opening control Temperature setting by remote control Door handle Also available as stand- alone model (FS version) 	 LED door opening control Temperature setting by remote control 	 LED door opening control Temperature setting by remote control

RH 439 LD / 449 LD

• 1 adjustable metal shelf with recess for tall

- 2 adjustable door racks for bottles (small and large)
- Both door racks with adjustable spacers
- 2 adjustable metal shelves

RH 569 LD

- 2 adjustbale door racks for bottles (small and large)
- 2 adjustable metal shelves
- Bottle fingers



MORE PROFITABLE?

Then do not hide the miniBar away in the room. Well placed miniBars with glass impulse purchases. doors will enhance the room's interior considerably. The enticing product

CLASSIC LINE PRODUCT COMPARISON	RH 429 LDAG	
Model class (litre)	20	
Storage volume (litre)	18	
Cabinet colour	Anthracite	
Dimensions Built-in version (H x W x D, in mm)	435 x 422 x 384	
Can be built-in/integrated	•	
Variable door hinge	•	
LED interior light	•	
Input rating (W)	75	
Energy consumption (kWh/24 h)	0.74	
Noise level (db[A])	0	
Options	 LED door opening control Temperature setting by remote control Also available as stand-alone model (FS version) Door handle 	• • •

FEATURES:

RH 429 LDAG

- 1 adjustable metal shelf with recess for tall bottles
- Glass door with aluminium frame

RH 439 LDAG

• 2 adjustable metal shelves

• Glass door with aluminium frame

RH 449 LDAG

- 2 adjustable metal shelves
- Glass door with aluminium frame

offer plenty of room for an appealing product presentation with potential for profit. All models feature Fuzzy Logic Technology, CUC System and automatic defrost

DO YOU WANT TO MAKE THE MINIBAR BUSINESS EVEN

presentation behind glass encourages





BASIC LINE PRODUCT COMPARISON

MODEL RH 131 D Model class (litre) 30 Storage volume (litre) 28 Cabinet colour Black **Dimensions Built-in version** 524 x 380 x (H x W x D, in mm) Can be built-in/integrated **Sliding hinge** Variable door hinge • 65 Input rating (W) Energy consumption (kWh/24 h) 0.73 Noise level (db[A]) 0 LED interior light (RH 131 LD Options Lock • Also available as a stand-ald

SELLING MINIBAR PRODUCTS IS NOT GENERATING PROFIT FOR YOU?

Nevertheless, a cooling option in the room can still offer an extra service benefit. Provide your guests with an empty guest fridge. They can cool their own drinks, medicine, cosmetics, baby food and many other things - an extra service from you to your guests!



Dometic quality at a great price. With the 30 and 40-litre-class guest fridge of the Basic Line, you can get to know the value-for-money side of silent cooling comfort.

Technically advanced and absolutely reliable, the models represent $an \, efficient \, view \, of \, modern \, absorption \, technology-made \, in \, Europe.$ This means you can blend the comfort of today with advanced Fuzzy Logic technology without exceeding your budget.

FEATURES:

RH 131

- 1 door rack for small bottles, with adjustable spacers
- 1 door rack for bottles and cans, with spacers
- 2 adjustable shelves

DBI	RH 141 DBI
	40
	38
k	Black
x 445	554 x 422 x 451
	•
	•
	•
	65
3	0.75
	0
LDFS/LDBI) Ilone version (FS version)	 LED interior light (RH 141 LDFS/LDBI) Lock Also available as a stand-alone version (FS version)



RH 141

- 1 door rack for small bottles, with adjustable spacers
- 1 door rack for bottles and cans, with spacers
- 2 adjustable shelves
- Bottle fingers



Chilled drinks and food right at your fingertips all the time. When there is no room for an ordinary refrigerator, a miniCool in the Food Line series is a great advantage. Whether it's for everyday use in hospitals and nursing homes with the shortest possible distances for patients and residents or for a bit of privacy in student accommodation. The Food Line provides silent cooling comfort without compromising. As the only cooling appliance in this class, the models are suitable for fresh food.



FOOD LINE PRODUCT COMPARISON		
MODEL	DS 200 FS/BI	
Storage volume (litre)	21	
Cabinet colour	Black or white	
Dimensions FS* (H x W x D, in mm)	495 x 422 x 393	

0 Sliding hinge Sliding hinge Lock

455 x 422 x 383

•

65

0.74

Wheels

*FS version: with foot frame, door decor panel and back cover ** BI version: for fully-integrated installation (with sliding hinge, without exterior ABS plastic cabinet, door panel and foot frame)



THE FOODLINE

Lock

Wheels

Unique worldwide. No other noiseless refrigerator reaches an interior temperature of 4 °C at up to an ambient temperature of 32 °C.

FEATURES:

DS300

Dimensions Built-in version*

(H x W x D, in mm) Can be built-in/integrated

Variable door hinge LED interior light

Input rating (W)

Energy consumption (kWh/24 h)

Noise level (db[A])

Options

- 2 adjustable plastic shelves with recess for tall bottles • Flat inner door

DS400

- 2 adjustable plastic shelves • 3 adjustable door racks

DS 300 FS/BI	DS 400 FS/BI	DS 600 FS/BI
27	32	43
Black or white	Black or white	Black or white
580 x 422 x 393	580 x 422 x 450	592 x 486 x 494
540 x 422 x 383	540 x 422 x 440	552 x 486 x 484
•	•	•
•	•	•
•	•	•
65	65	85
0.76	0.76	0.77
0	0	0
liding hinge ock Vheels	Sliding hingeLockWheels	Sliding hingeLockWheels

IDEAL FOR:

- - Nursing homes
 - Hospitals
 - Offices/meeting rooms
 - At home as an additional refrigerator in the bedroom, living room or children's room
 - Student homes / apartments

DS 200

- Adjustable plastic shelf with recess for tall bottles
- Flat inner door

DS600

- 2 adjustable plastic shelves
- 3 adjustable door racks





THE ECO CLASS BY DOMETIC

EFFICIENT // COMPACT // NOISELESS

Cooling comfort with real savings potential. The miniBars in the And it's not only you who benefits. The miniBars in the Eco Class give Eco Class have a particularly compact design and also make a your guests added value too. Snacks and beverages are kept chilled positive contribution to the energy balance. Eco Line NTE miniBars all the time. use an energy-efficient, noiseless thermoelectric cooling system with a superior A+ energy efficiency index. They will be a 100% fit • Powerful thermoelectric cooling unit replacement option for old 30 and 40 litre miniBars from previous Adjustable temperature setting • Fully-automatic defrosting for maximum comfort generations.



COMPACT AND EXTREMELY ECONOMICAL

- Glass Door Option (Absorption cooling technology)



have the A+ energy efficiency class and a record-breaking low power consumption. The outer dimensions of the miniBar are also extremely compact thanks to the thermoelectric cooling units. Furthermore, the models score points with a well-organised interior and an attractive LED interior light.



ECO LINE NTE PRODUCT COMPARISON MODEL	Image: mail of the second se			
Model class (litre)	30	40		
Storage volume (litre)	25	34		
Cabinet colours	Anthracite	Anthracite		
Dimensions (H x W x D, in mm)	522 x 384 x 395	554 x 401 x 425		
Can be built-in/integrated	•	•		
Variable door hinge	•	•		
LED interior light	•	•		
Input rating (W)	55	55		
Energy consumption (kWh/24 h)	0.29	0.29		
Energy efficiency class	A+	A+		
Noise level (db[A])	0	0		

FEATURES:

RH 430 NTE

- 1 adjustable door rack for small bottles
- 1 door rack for large bottles, with spacers
- 1 adjustable shelf
- Sensor-controlled LED interior light

RH 440 NTE

- 1 adjustable door rack for small bottles
- 1 door rack for large bottles
- 1 adjustable shelf
- Sensor-controlled LED interior light





ECO LINE GLASS DOOR PRODUCT COMPARISON MODEL	Image: With the second secon			
Model class (litre)	30	40		
Storage volume (litre)	27	37		
Cabinet colours	Anthracite	Anthracite		
Dimensions (H x W x D, in mm)	522 x 384 x 422	554 x 401 x 456		
Can be built-in/integrated	•	•		
Variable door hinge	•	•		
LED interior light	•	•		
Input rating (W)	65	65		
Energy consumption (kWh/24 h)	0.87	0.93		
Noise level (db[A])	0	0		

FEATURES:

RH 430 LG

- Glass Door
- 1 adjustable shelf
- Sensor-controlled LED interior light

The Eco Line Glass door miniBars with noiseless absorption cooling technology.

A tempting way to promote your snack and beverage assortment. Fuzzy Logic technology featuring patented Cooling Unit Control (CUC) and automatic defrost make these products unique.

26 - DOMETIC.COM

RH 440 LG

- Glass Door
- 1 adjustable shelf
- Sensor-controlled LED interior light





THE DOMETIC SPECIAL CLASS

INDIVIDUAL PRODUCTS AND SPECIAL SOLUTIONS

Special requirements need special solutions. The Special Class from Dometic particularly takes up where ordinary refrigerators leave off. Whether that is in the design, size or its own special look – the miniBars offer a variety of unique features for a range of different needs.



Convenient slide-out access, silent or even noiseless operation, low energy consumption: Dometic drawer miniBars set new standards in design and efficiency. Dometic DM 20 is the world's first noiseless 20-litre class drawer miniBar with an A++ energy rating. Having the same width as conventional 30-litre absorption miniBars, it will easily replace them. Dometic DM 50 provides 50 litres capacity in an award-winning design featuring an automatic slide-out tray for snacks and mini bottles and an adjustable drawer for bottles and cans.



FEATURES OF THE DRAWER MINIBARS

- Unique design for convenient slide-out access
- Thermoelectric cooling unit for low energy
- consumption
- Noiseless cooling comfort
- Patented and design awarded technology



FEATURES:

DM 20 D/F

- Highly flexibel system of dividers and bottle fingers
- and handle
- match the furniture design of the room

Worlds first noiseless minibar with A++							
DM 20 / DM 50 PRODUCT COMPARISON	DM 20 D/F	DM 50 NTE D/F	DM 50 D/F				
Model class (litre)	20	50	50				
Storage volume (litre)	15.8	45	45				
Cabinet colours	Anthracite	Anthracite	Anthracite				
Dimensions Built-in version (H x W x D, in mm)	DM 20 D: 365 x 384 x 428 DM 20 F: 365 x 384 x 398	DM 50 NTE D: 418 x 550 x 517 DM 50 NTE F: 418 x 550 x 487	DM 50 D: 418 x 550 x 508 DM 50 F: 418 x 550 x 480				
Can be built-in/integrated	•	•	•				
LED interior light	•	•	•				
Input rating (W)	52	75	80				
Energy consumption (kWh/24 h)	0.20	0.25	0.38				
Energy efficiency class	A++	A+	А				
Noise level (db[A])	0	0	37.6				
Options	• Lock	• Lock	• Lock				

DM 50 D/F

- DM 20 D: with a decorative anthracite panel
- Highly flexibel system of dividers and bottle fingers
- DM 50 D: with a decorative anthracite panel and handle
- DM 20 F: prepared for a wood decor panel to DM 50 F: prepared for a wood decor panel to match the furniture design of the room

MINICOOL WITH FREEZER

DOMETIC MINIBARS

HANDY HINTS ON VENTILATION



MODEL WA 3200 EA 3280 Storage volume (litre) 54 65 Freezer (litre) 6 5 White White Cabinet colour Dim nsions 592 x 486 x 496 592 x 525 x 533 Stand-alone (H x W x D, in mm) 105 95 Input rating (W) Can be built-in/integrated Variable door hinge • Power consumption (kWh/24 h) 1.40 1.60 Noise level (db[A]) 0 0

Small space, great versatility. The miniCool models with integrated freezers provide cooling comfort in a compact housing. The space-saving design makes them suitable for use in small spaces where a freezer is required.

FEATURES OF THE MINICOOL WITH FREEZER

- Powerful cooling system
- Fuzzy Logic, the intelligent energy control
- Cooling Unit Control (CUC system)
- Fully-automatic defrosting (WA 3200)

MODELS: WA 3200

- With curved door
- 2 adjustable door shelves
- 2 adjustable shelves
- Interior light

EA 3280

- 2 adjustable door shelves
- 2 adjustable shelves
- Interior light



Outgoing air (warm), incoming air (ambient)

To ensure optimum cooling performance with minimum energy The free ventilation space for incoming and outgoing air should be consumption, several basic principles need to be followed when at least 200 cm2. The distance from the rear of the miniBar to the installing an absorption miniBar. The heat which the cooling unit rear wall of the furniture must be at least 2 cm. When installing the extracts from the refrigerator interior is emitted at the back of the miniBar, ensure that it is standing on a stable and horizontal surface, miniBar. and not directly near a heat source.

There must be sufficient ventilation here to prevent a build-up of heat.

MINIBAR & MINICOOL INSTALLATION INSTRUCTIONS



MINIBAR & MINICOOL

PRODUCT OVERVIEW

PRODUCT LINE	MODEL	MODEL CLASS (LITRE)	STORAGE VOLUME (LITRE)	HOUSING COLOURS	BUILT-IN VERSION DIMENSI- ONS (H X W X D, MM)	STAND-ALONE DIMENSIONS (H X W X D, MM)
COMFORT CLASS						
HiPro Line	HiPro 3000	30	26	Anthracite	527 x 388 x 418	-
	HiPro 4000	40	34	Anthracite	559 x 405 x 452	601 x 405 x 472
	HiPro Vision	40	34	Anthracite	559 x 405 x 465	601 x 405 x 485
	HiPro 6000	60	48	Anthracite	568 x 490 x 475	-
Classic Line	RH 423 LDA	23	23	Anthracite	435 x 422 x 384	463 x 422 x 384
	RH 439 LD	30	25	Anthracite	522 x 380 x 434	550 x 380 x 434
	RA 449 LD	40	32	Anthracite	552 x 422 x 439	580 x 422 x 439
	RH 548 LD	40	37	Anthracite	554 x 401 x 446	554 x 401 x 446
	RH 569 LD	60	58	Anthracite	560 x 486 x 484	560 x 486 x 484
	RH 429 LDAG	20	18	Anthracite	435 x 422 x 384	463 x 422 x 384
	RH 439 LDAG	30	26	Anthracite	522 x 380 x 434	550 x 380 x 434
	RH 449 LDAG	40	33	Anthracite	552 x 422 x 439	580 x 422 x 439
Basic Line	RH 131 D/LD	30	28	Black	524 x 380 x 445	552 x 380 x 455
	RH 141 D/LD	40	38	Black	554 x 422 x 451	582 x 422 x 451
Food Line	DS 200	20	21	White, black	455 x 422 x 383	495 x 422 x 393
	DS 300	30	27	White, black	540 x 422 x 383	580 x 422 x 393
	DS 400	40	32	White, black	540 x 422 x 440	580 x 422 x 450
	DS 600	60	43	White, black	552 x 486 x 484	592 x 486 x 494
ECO CLASS						
Eco Line NTE	RH 430 NTE	30	25	Anthracite	522 x 384 x 395	-
	RH 440 NTE	40	34	Anthracite	554 x 401 x 425	-
Eco Line Glass Door	RH 430 LG	30	27	Anthracite	522 x 384 x 422	-
	RH 440 LG	40	37	Anthracite	554 x 401 x 456	-
SPECIAL CLASS						
Drawer miniBars	DM 20 D/F	20	15.8	Anthracite	DM 20 D: 365 x 384 x 428 DM 20 F: 365 x 384 x 398	-
	DM 50 NTE D/F	50	45	Anthracite	DM 50 NTE D: 418 x 550 x 517 DM 50 NTE F: 418 x 550 x 487	-
	DM 50 D/F	50	45	Anthracite	DM 50 D: 418 x 550 x 508 DM 50 F: 418 x 550 x 480	-
miniCool with freezer	WA 3200	60	54 +5 (freezer)	White	-	592 x 486 x 496
	EA 3280	70	65 + 6 (freezer)	White	-	592 x 525 x 533

PRODUCT LINE	MODEL	FOOD SUITABILITY	FREEZER	GLASS DOOR	SLIDING HINGE INTEGRATION POSSIBLE	DOOR HINGE CHANGEABLE	DECOR PANEL**	POWER CONSUMPTION (KWH/24 H*)	ENERGY EFFICIENCY CLASS
COMFORT CLASS									
HiPro Line	HiPro 3000	-	-	-	•	•	•	0.57	С
	HiPro 4000	-	-	-	•	•	•	0.65	С
	HiPro Vision	-	-	•	•	•	-	0.74	D
	HiPro 6000	-	-	-	•	•	•	0.70	D
Classic Line	RH 423 LDA	-	-	-	•	•	•	0.70	D
	RH 439 LD	-	-	-	•	•	•	0.65	D
	RA 449 LD	-	-	-	•	•	•	0.70	D
	RH 548 LD	-	-	-	•	•	•	0.75	D
	RH 569 LD	-	-	-	•	•	•	0.76	D
	RH 429 LDAG	-	-	•	-	•	-	0.74	D
	RH 439 LDAG	-	-	•	-	•	-	0.75	D
	RH 449 LDAG	-	-	•	-	•	-	0.75	D
Basic Line	RH 131 D/LD	-	-	-	•	•	-	0.73	D
	RH 141 D/LD	-	-	-	•	•	-	0.75	D
Food Line	DS 200	•	-	-	•	•	•	0.74	D
	DS 300	•	-	-	•	•	•	0.76	D
	DS 400	•	-	-	•	•	•	0.76	D
	DS 600	•	-	-	•	•	•	0.77	D
ECO CLASS									
Eco Line NTE	RH 430 NTE	-	-	-	•	•	-	0.29	A+
	RH 440 NTE	-	-	-	•	•	-	0.29	A+
Eco Line Glass Door	RH 430 LG	-	-	•	-	•	-	0.87	F
	RH 440 LG	-	-	•	-	•	-	0.93	F
SPECIAL CLASS									
Drawer miniBars	DM 20 D/F	-	-	-	-	-	•	0.20	A++
	DM 50 NTE D/F	-	-	-	-	-	•	0.25	A+
	DM 50 D/F	-	-	-	-	-	•	0.38	А
miniCool with freezer	WA 3200	•	•	-	-	•	-	1.40	G
	EA 3280	•	•	-	•	•	-	1.60	G

* Custom made decor panel for project orders ** All energy consumption labels correspond to the requirements of the Commision Regulation (EC) No. 643/2009 and Commission Regulation (EU) 1060/2010.



Mobile Living made easy.



BELGIUM DOMETIC BRANCH OFFICE BELGIUM Zinkstraat 13 B-1500 Halle Tel +322 3598040

Fax +3223598050 Mail info@dometic.be

DENMARK DOMETIC DENMARK A/S

Nordensvej 15, Taulov DK-7000 Fredericia Tel +45 75585966 Fax +45 75586307 Mail info@dometic.dk

EASTERN EUROPE DOMETIC AB

Hemvärnsgatan 15 SE-171 54 Solna Tel +46 (0)8 501 02 500 Mail Iodging,export@dometic.com

FINLAND DOMETIC FINLAND OY

Mestarintie 4 FIN-01730 Vantaa Tel +358 20 7413220 Fax +358 9 7593700 Mail info@dometic.fi

FRANCE

 DOMETIC SAS

 ZA du Pré de la Dame Jeanne

 B.P. 5

 F-60128 Plailly

 Tel
 +33 3 44633525

 Fax
 +33 3 44633518

 Mail
 lodging@dometic.fr

GERMANY & AUSTRIA DOMETIC GMBH

D-57074 Siegen Tel +49(0) 271 692 0 Fax +49 (0) 271 692 302 Mail info@dometic.de

HUNGARY

DOMETIC ZRT. SALES OFFICE H-1147 Budapest Kerékgyártó u. 5. Tel +3614684400

ITALY DOMETIC ITALY S.R.L.

Mail budapest@dometic.hu

Fax +3614684401

Via Virgilio, 3 I-47122 Forli (FC) Tel +39 0543 754901 Fax +39 0543 754983 Mail vendite@dometic.it

NETHERLANDS DOMETIC BENELUX B.V.

Ecustraat 3 NL-4879 NP Etten-Leur Tel +31 76 5029000 Fax +31 76 5029019 Mail info@dometic.nl

NORWAY DOMETIC NORWAY AS

Østerøyveien 46 N-3236 Sandefjord Tel +47 33428450 Fax +47 33428459 Mail firmapost@dometic.no

POLAND DOMETIC POLAND SP. Z O.O

PL-02-801 Warszawa Tel +48 22 414 3200 Fax +48 22 414 3201 Mail info@dometic.pl

PORTUGAL DOMETIC SPAIN, S.L.

Branch Office em Portugal Rot. de São Gonçalo nº 1- Esc. 12 2775-399 Carcavelos Tel +351 219 244 173 Fax +351 219 243 206 Mail info@dometic.pt

RUSSIA

 POMETIC RUS LLC

 Komsomolskaya square 6 – 1

 RU-107140 Moscow

 Tel
 +7 495 780 79 39

 Fax
 +7 495 916 56 53

 Mail
 info@dometic.ru

SPAIN DOMETIC SPAIN S.L.

Avda. Sierra del Guadarrama, 16 E-28691 Villanueva de la Cañada Madrid Tel +34 91 833 6089 Fax +34 900 100 245 Mail info@dometic.es

SWEDEN

DOMETIC SCANDINAVIA AB Gustaf Melins gata 7 S-421 31 Västra Frölunda Tel +46 31 7341100 Fax +46 31 7341101 Mail info@dometicgroup.se

SWITZERLAND DOMETIC SWITZERLAND AG

Riedackerstrasse 7a CH-8153 Rümlang Tel +41 44 8187171 Fax +41 44 8187191 Mail info@dometic.ch

MENA

DOMETIC MIDDLE EAST FZCO P.O. Box 17860 S-D 6, Jebel Ali Freezone Dubai Tel +971 4 883 3858

Fax +971 4 883 3868 Mail info@dometic.ae

UNITED KINGDOM DOMETIC UK LTD.

Dometic House, The Brewery, Blandford St. Mary Dorset DT11 9LS Tel +44 344 626 0133 Fax +44 344 626 0143 Mail sales@dometic.co.uk

EXPORT

Dometic Competence Center In der Steinwiese 16 D - 57074 Siegen, Germany Tel +49 (0) 271 692 121 Mail lodging.export@dometic.com

TURKEY

ENTA A. S. Gümüşsusyu Mah.İnönü Cad. Taksim / Beyoğlu / İstanbul Tel +90 212 292 89 00 Mail info@entaturk.com GREECE

SAMARAS Anaximandrou 73 54250 Thessaloniki

Tel +30 231 032 1091

Mail polief96@otenet.gr

KENYA & EAST AFRICA SANDEN INTERCOOL

28 The Crescent Road Nairobi Tel +254 (0) 727 726 336 Mail purity.simiyu@sandenintercool.co.ke

RUSSIA

MIKO Leningradskiy pr. 30/2 125040 Moscow Tel +7 495 651 09 45 Mail officemoscow@miko-hotelservices.com